

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:48
S2	1753	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:49
S3	192	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:50
S4	66	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:51
S5	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:12
S6	7828	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:42
S7	77	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:42
S8	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:43
S9	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:43

S10	7	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:43
S11	4	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:45
S12	4	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:45
S13	0	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:45
S14	0	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:46
S15	2	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:03
S16	5521	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:05
S17	20829720	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:06
S18	818	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:06
S19	461	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:07

S20	272	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:08
S21	155	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:10
S22	62	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:22
S23	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:13
S24	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:13

S25	5	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:19
S26	18	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:21
S27	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:20
S28	3	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:21
S29	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:23
S30	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:23
S31	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53

S32	211	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S33	1983	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S34	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S35	66	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:21
S36	9600	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S37	93	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S38	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S39	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S40	10	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S41	4	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53

S42	4	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S43	0	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S44	2	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S45	0	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S46	20846188	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S47	846	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:19
S48	475	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S49	280	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S50	66	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53

S51	6129	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S52	161	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S53	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S54	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S55	6	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S56	18	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:21

S57	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S58	3	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 13:47
S59	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S60	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 10:53
S61	2	"20070005555"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 13:47
S62	51	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:20
S63	0	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:20

S64	0	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:21
S65	32	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:22
S66	0	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:25
S67	32	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:23
S68	6	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 near2 (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:23
S69	31	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:32
S70	142	@ad < "20010701" and (identi\$6 with (physical near2 location) with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:34

S71	597	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:35
S72	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:35
S73	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context adj sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:36
S74	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:37
S75	21	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:37
S76	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:38

S77	3	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:40
S78	3	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:40
S79	598	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:41
S80	556	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:42
S81	103	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:56
S82	70	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:46

S83	3	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:48
S84	26	@ad < "20010701" and ((track\$4 or monitor\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:57
S85	0	@ad < "20010701" and ((track\$4 or monitor\$3 ) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:57
S86	2	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 14:59
S87	103	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 10:08
S88	4	("7243356" or "6317718").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:30
S89	2	("7243356" or "6317718").pn.	USPAT	OR	OFF	2007/09/07 16:30

S90	1	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (SQL with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:42
S91	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (query with statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:43
S92	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and ( statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/07 16:43
S93	45	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and ( query with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 09:38
S94	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 09:40

S95	3	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) with ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 09:40
S96	12	@ad < "20010701" and ((determin\$4 or obtain \$4 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/08 10:47
S97	1	"20020091568"	US-PGPUB	OR	OFF	2007/09/08 10:47
S98	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S99	2290	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S100	231	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S101	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S102	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S103	11921	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S104	121	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S105	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S106	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S107	14	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S108	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S109	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S110	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S111	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S112	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S113	6756	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S114	23241156	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S115	870	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S116	489	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S117	290	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S118	163	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S119	67	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S120	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S121	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S122	6	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S123	19	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S124	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S125	4	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S126	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S127	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S128	2	"20060184508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S129	231	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S130	2290	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S131	15	(meta\$1data near2 structure)and (application near2 (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S132	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S133	11921	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S134	121	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S135	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S136	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S137	14	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S138	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S139	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S140	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S141	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S142	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S143	23241156	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S144	870	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S145	489	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S146	290	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S147	67	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S148	6756	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S149	163	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S150	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S151	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S152	6	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with user )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S153	19	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S154	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S155	4	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (server with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S156	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S157	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S158	2	"20070005555"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S159	52	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S160	0	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S161	0	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S162	33	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S163	0	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S164	33	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S165	6	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 near2 (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S166	32	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S167	139	@ad < "20010701" and (identi\$6 with (physical near2 location) with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S168	600	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S169	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S170	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context adj sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S171	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S172	22	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S173	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S174	3	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S175	3	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S176	601	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S177	557	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S178	106	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S179	73	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S180	4	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S181	26	@ad < "20010701" and ((track\$4 or monitor\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S182	0	@ad < "20010701" and ((track\$4 or monitor\$3 ) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S183	2	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S184	106	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S185	4	("7243356" or "6317718").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S186	2	("7243356" or "6317718").pn.	USPAT	OR	OFF	2008/04/27 21:09

S187	1	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (SQL with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S188	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (query with statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S189	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and ( statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S190	47	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and ( query with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S191	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09

S192	3	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) with ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S193	12	@ad < "20010701" and ((determin\$4 or obtain \$4 or identif\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:09
S194	1	"20020091568"	US-PGPUB	OR	OFF	2008/04/27 21:09
S195	9847	707/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:25
S196	8198	707/10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:25
S197	28	707/10.ccls. and S146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
S198	8	707/10.ccls. and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
S199	13	707/10.ccls. and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
S200	8	707/3.ccls. and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26
S201	3	707/3.ccls. and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:26

S202	21	707/3.ccls. and S146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/27 21:27
S203	2	"20020091568" or "6594654".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/27 22:34
S204	2	("5924074" or "5950010").pn.	US-PGPUB; USPAT	OR	OFF	2008/04/28 07:21
S205	1	"6594654".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/28 08:46
S207	2537	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S208	259	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S209	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S211	13798	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S212	143	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S213	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S214	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S215	15	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41

S216	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S217	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S218	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S219	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S220	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S221	7255	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S222	23244670	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S223	879	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S224	490	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S225	290	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41

S226	163	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S227	67	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S228	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S229	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S231	19	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S232	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41

S234	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S235	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S237	259	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S238	2537	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S240	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S241	13798	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S242	143	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S243	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41

S244	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S245	15	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S246	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S247	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S248	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S249	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S250	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S251	23244670	(context adj sensitive) and (user or client) and server and database @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S252	879	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S253	490	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41

S254	290	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S255	67	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S256	7255	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S257	163	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S258	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S259	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41

S261	19	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S262	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S264	8	707/10.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:41
S265	3	707/3.ccls. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S267	52	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S268	0	(context adj sensitive) and (user or client) and server and database and @ad < "20010501" and (identi\$6 with physical with location with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S269	0	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501" and (identi\$6 with physical with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S271	0	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with physical with location with (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S272	33	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701" and (identi\$6 with (physical near2 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S276	614	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S277	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S278	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context adj sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S279	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive) and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S280	22	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and (context with sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S281	0	@ad < "20010701" and ((locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S283	3	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical near2 location) near2 (person or user or client)) and ((context with sensitive) with (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S285	570	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S287	78	@ad < "20010701" and ((track\$4 or locat\$3 or find\$3 or identi\$6) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S290	1	@ad < "20010701" and ((track\$4 or monitor \$3 ) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S293	4	("7243356" or "6317718").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S296	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and (query with statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S297	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 (physical adj location) near2 (person or user or client)) and ((quer\$4 or search\$4) near2 database) and ( statement with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S299	0	@ad < "20010701" and ((track\$4 or monitor\$3 or identif\$4 or find\$3 or locat\$4) near2 ((physical adj location) with (building or facility or factory)) near2 (person or user or client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S304	2537	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S305	259	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S306	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S308	13798	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S309	143	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S310	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S311	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S312	15	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S313	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S314	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S315	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S316	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S317	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S318	7255	(context adj sensitive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S319	879	(context adj sensitive) and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S320	490	(context adj sensitive) and query and (user or client) and server and database and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S321	290	(context adj sensitive) and query and (user or client) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S322	163	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S323	67	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S324	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and (((extract\$4 or retriev\$4) with result) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S325	0	(context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with (corresponding or relevant or pertinent) with (user near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S327	19	(context adj sensitive) and query and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S328	0	(context adj sensitive) and (periodic near2 query) and (network and radio and PDA) and @ad < "20010501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S330	8	707/10.cds. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S331	3	707/3.cds. and (context adj sensitive) and query and ((user or client) near2 (identification or log \$1on or log\$1in)) and (server with database) and @ad < "20010501" and ((extract\$4 or retriev\$4) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S333	259	(meta\$1data near2 structure)and (application with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S334	2537	meta\$1data near2 structure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S336	67	(meta\$1data near2 structure)and (application with (data adj structure)) and @ad < "20010701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S337	13798	media adj content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S338	143	(media adj content) with classif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S339	0	((media adj content) with classif\$6) with appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S340	0	((media adj content) with classif\$6) same appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S341	15	((media adj content) with classif\$6) and appearanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S342	5	((media adj content) with classif\$6) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S343	5	((media adj content) with classif\$6) and character\$4 and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S344	1	((media adj content) with classif\$6) and characters and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
S345	3	((media adj content) with classif\$6) and (text or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42

S346	1	((media adj content) with classif\$6) and ((text adj string) or characters) and appearanc\$4 and @ad < "20031121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 15:42
------	---	--	--	----	-----	---------------------

10/ 8/ 2008 3:49:05 PM

C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 09681574.wsp